



B BERGARA®

2025 PRODUCT LINEUP




AT BERGARA, WE BELIEVE THAT A PRECISION FIREARM REQUIRES THE BEST COMPONENTS AND AN ASSEMBLY PROCESS CARRIED OUT BY INDIVIDUALS WHO ARE THE BEST OF THE BEST AT THEIR CRAFT. WE'VE BUILT A TEAM OF THE WORLD'S MOST TALENTED AND EXPERIENCED FIREARM BUILDERS – FIRST IN THE USA FOR OUR PREMIER SERIES, AND NOW IN SPAIN FOR OUR B-14 SERIES. THE RESULTS ARE EXTREME PRIDE IN BUILDING, AND EXTREME PRIDE IN OWNERSHIP.

B BERGARA®



MADE IN OUR FACILITIES

TO PERFORM IN THE FIELD



**EVERY RIFLE STARTS
WITH A PRECISION BARREL**

STEP 1 *BARREL STRAIGHTENING*

Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets our deviation standards.

STEP 2 *DEEP HOLE DRILLING*

The bar then moves on to a four spindle deep hole drilling machine where a perfect hole is drilled through the entire length of the bar.

STEP 3 *BARREL HONING*

Three separate honing spindles utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish.

STEP 4 *BUTTON RIFLING*

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber. It's the same result that many gunsmiths accomplish by hand lapping.

STEP 5 *STRESS RELIEVING*

A high temperature heating process realigns the steel molecules ensuring the barrel is free from any stress.





BERGARA ACADEMY



SCAN TO LEARN MORE



EDUCATE. TRAIN. PROMOTE


Our commitment is to assist, educate, and train you on the use of rifles for hunting. We'll help you understand how your rifle and scope work together, fine-tuning, maintenance, and most importantly, how to get the most out of both your equipment and yourself.

Through a combination of theory and practical exercises at the Bergara Academy, we'll help you succeed in various hunting situations, from different positions and weather conditions to distances and ballistics.

With both basic and advanced options, this training caters to different levels of knowledge and experience, helping you develop your hunting and mental skills.

Check our website for upcoming courses and take advantage of this opportunity to hone your skills as a hunter.

Please note that the US and Canada have separate schedules, which can be found on our US website.



BERGARA EXPERIENCE



AN OPPORTUNITY TO TRY AND ENJOY A DAY OF SHOOTING.

Experience the thrill of shooting with Bergara at our exclusive events. Join us for a day of target practice, guided by our expert team. You'll have the chance to try out our latest rifles and learn from the best.

Whether you're a seasoned hunter or a casual shooter, our events offer a fun and welcoming atmosphere. Follow us on social media to stay tuned for our next event!



SCAN TO LEARN MORE





BERGARA FOUNDATION



COMMITTED TO CONSERVATION, INDUSTRY AND THE ENVIRONMENT

By choosing Bergara, you're not just buying a rifle; you're investing in a better future. We've committed 10% of our profits to the Bergara Foundation, dedicated to conservation, environmental protection, and sustainable hunting practices.

Your purchase directly supports our efforts to preserve our natural world and ensure the future of hunting. Join us in making a difference. Visit www.BergaraFoundation.com to learn more about our initiatives and how you can contribute.





A HISTORY OF PRECISION

IT ALL BEGAN SEVERAL YEARS AGO WITH A SMALL LINE OF CUSTOM RIFLES AND ONE TOP-NOTCH CRAFTSMAN, THE FORMER PRODUCTION CHIEF AND CHIEF INSTRUCTOR FOR THE UNITED STATES MARINE CORPS PRECISION WEAPONS SECTION.

As Bergara rapidly grew, we then assembled a hand-picked group.

With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Bergara is producing a full line of precision firearms engineered and built to showcase the performance capabilities of our world-class barrels.

Today, these individuals form the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real world experience and expertise to every Bergara firearm.

PREMIER SERIES	12
Premier Elevate	16
Premier HMR Pro	17
Premier Elite	18
B-14² SERIES	20
B14 ² Crest	24
B-14 WILDERNESS SERIES	26
Wilderness Sierra	30
Wilderness Thumbhole	32
Wilderness HMR	34
EXTREME SERIES	36
Extreme Sierra	40
Extreme Hunter	41
B-14 SERIES	42
B14 Thumbhole	46
B14 Stoke	47
B14 Hunter	49
B14 Timber	50
B14 Sporter	51
B14 HMR	52
BA13 SERIES	54
BA13 Take Down	54
RIMFIRE SERIES	60
BMR X	64
BMR	66
B14 R	69
BARRELED ACTIONS	70
SPECIFICATIONS	78

PREMIER SERIES

BUILT BY HAND AND PAIRED WITH OUR WORLD-RENOWNED BARRELS, THE PREMIER SERIES PROVIDES NEAR CUSTOM PERFORMANCE AT PRICES THAT ARE AFFORDABLE TO SERIOUS SHOOTERS. ONLY THE BEST COMPONENTS AND FINEST CRAFTSMEN CAN BE USED TO CREATE A RIFLE LINE THIS RELIABLE AND ACCURATE.

FEATURES

- BERGARA PREMIER ACTION**
 - Premium stainless steel with Cerakote® finish
 - 2 locking lugs located on the front of the bolt head
 - Separate "floating" bolt head assures contact with lug abutments
 - Cone-shaped bolt nose assures smooth feeding
 - Sliding plate extractor
 - All new models feature a dual ejector
 - 1-piece stainless steel bolt body with threaded-in bolt handle
 - 90° bolt throw angle
 - Bolt shroud is bayonet style allowing access to the firing pin assembly. Simply twist the bolt shroud and the entire firing assembly can be removed without tools
- BERGARA BARREL**
 - Cure® carbon barrel or Stainless Steel barrel with Cerakote® finish
 - Guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition
- TRIGGER**
 - Externally adjustable TriggerTech® triggers and Frictionless Release Technology™ as standard equipment
- SAFETY MECHANISMS**
 - The 2-position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position
 - Non-rotating gas shield behind the bolt head protects the shooter from gas and debris in the event of a case or primer rupture



SPOTLIGHT

J.E. WILDS // ELEVATE

NEW ZEALAND - TAHR

“ We noticed animals making their way out of the thick scrub areas and rocky bluffs and we decided to make a move on a particular bull Tahr that was in a large alpine basin ahead of us. Just as we were packing up our gear to get closer to the bull, I caught movement above us.

No more than 140 yards away was a mature bull Tahr standing on a rocky outcrop. Our focus shifted instantly to this majestic bull, we crawled into position with the Bergara Elevate and Pedro pulled off a precise shot.

In the snow at the top of the mountain lay an incredible once-in-a-lifetime 14-year-old bull Tahr with an extraordinary golden mane. This was not the only success we had on this hunt, with me taking an equally impressive bull Tahr. The Bergara Elevate rifle demonstrated exceptional performance throughout, contributing to an unforgettable hunting experience in the rugged terrains of New Zealand. ”



ELEVATE

WEIGHT
starting at
2.6 kg (5.7 lbs)

RRP
starting at
3.899 €

ACCURACY
sub-MOA
Guarantee

BARREL


Cure™ Carbon barrel - Stainless Steel bore
51 cm (20") - 61 cm (24") barrel lengths

STOCK

MDT HNT26 Carbon Chasis

MAGAZINE

AICS Style Detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | 7 PRC | 7MM REM MAG | .308 WIN | .300 WIN MAG

*NEW CALIBERS

HMR PRO // HUNTING & MATCH

WEIGHT
starting at
4.2 kg (9.3 lbs)

RRP
starting at
2.299 €

ACCURACY
sub-MOA
Guarantee

BARREL

410 stainless steel
51 cm (20") - 66 cm (26") barrel lengths

FINISH

Tactical Gray Cerakote®

STOCK

Bergara HMR molded with mini-chassis

MAGAZINE

AICS Style Detachable



CALIBERS

.22-250 REM | 6.5 CREEDMOOR | 6.5 PRC | .300 PRC | .308 WIN | .300 WIN MAG



ELITE

WEIGHT
starting at
6.4 kg [14.1 lbs]

RRP
starting at
4.459 €

ACCURACY
sub-MOA
Guarantee

BARREL

410 stainless steel
66 cm [26"] barrel lengths

STOCK

MDT ELITE Chasis


MAGAZINE

AICS Style Detachable



CALIBERS

6 MM CREEDMOOR | 6.5 CREEDMOOR | .308 WIN



B-14² SERIES

THE NEW B-14² CONCEPT STANDS FOR ADDING A PROPRIETARY DEVELOPMENT OF A CARBON FIBER MONOCOQUE STOCK. CREATED 100% IN CARBON FIBER, THIS STOCK HAS AN INTERNAL STRUCTURE THAT PROVIDES GREATER RIGIDITY AND STRENGTH, MAKING IT NEARLY INDESTRUCTABLE.

FEATURING THIS NEW STOCK, OUR B-14 ACTION AND OUR WELL-KNOWN BARRELS, WE'VE BLENDED ALL THE ADVANTAGES OF THE B-14 MODEL SERIES CONVERGING INTO SOMETHING UNIQUE, WHICH WE HAVE CALLED B-14 SQUARED.



FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - Fluted, 4140 chromoly steel, one piece bolt body
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - AICS detachable magazine
 - Cerakoted® Sniper Grey

- BERGARA BARREL**
- Made with Cure™ Carbon barrel or 4140 CrMo steel
 - Sniper Grey Cerakote®
 - Guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

- STOCK**
- 100% Carbon Fiber Monocoque stock with carbon spine




SPOTLIGHT

NICH MARCHIANDO // CREST CARBON

CANADA - BIGHORN SHEEP

Sheep hunts are special. It gets repeated often, but I think that's a testament to how true that statement is. With that said, there are few people who love it more than those who spend their days guiding them. And when it comes to sheep hunts, bighorns in the Canadian Rockies are often considered to be one of the most challenging. Weather, rugged mountains and dense timber all make finding a legal ram that much harder. It will push your grit and your gear past what you'd think was possible.

This past fall I was fortunate enough to accompany one of my best friends and sheep guide, Milan Marcetta, as he set out to fill his own bighorn sheep tag. A tag that could be considered once in a lifetime, even in an opportunity rich province like British Columbia. After 7 days of snow, wind, heavy packs, and shifty rams, a 400 yard shot sealed the deal on what ended up being one of our favorite hunts to date.



CREST // CARBON

WEIGHT

starting at
2.9 kg (6.3 lbs)

RRP

starting at
2.199 €

ACCURACY

sub-MOA
Guarantee

BARREL

Cure™ Carbon barrel - Stainless Steel bore
51 cm (20")-61 cm (24") Barrel Lengths

FINISH

Sniper Grey Cerakote®

STOCK

100% Carbon Fiber with Carbon Spine

MAGAZINE

AICS Style Detachable



CREST // STEEL

WEIGHT

starting at
3.1 kg (6.8 lbs)

RRP

starting at
1.869 €

ACCURACY

sub-MOA
Guarantee

BARREL

4140 CrMo Steel
51 cm (20")- 61 cm (24") Barrel Lengths

FINISH


Sniper Grey Cerakote®

STOCK

100% Carbon Fiber with Carbon Spine

MAGAZINE

AICS Style Detachable



CALIBERS

.223 REM | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | 7 PRC | 7MM REM MAG

.308 WIN | .300 WIN MAG | **.300 PRC**

*NEW CALIBER

CALIBERS

.223 REM | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | 7 PRC | 7MM REM MAG

.308 WIN | .300 WIN MAG | **.300 PRC**



*NEW CALIBER

B-14 WILDERNESS SERIES

THE B-14 WILDERNESS SERIES® EMBODY PURE PERFORMANCE. REAL-WORLD FEATURE SETS LIKE FLUTED BOLTS, SPECIALIZED COATINGS, AND STOCK OPTIONS THAT CAN WITHSTAND THE RUGGED AND UNFORGIVING WILDERNESS, WHILE BLENDING IN TO THOSE VERY SAME ELEMENTS. THIS SERIES IS FOR THE BACK COUNTRY, TO MATCH EVERY STRIDE YOU TAKE OFF THE BEATEN TRAIL.

FEATURES

- | | |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BERGARA B-14 ACTION | <ul style="list-style-type: none"> • Spring-loaded ejector • Side-mounted bolt stop • Fluted, 4140 CrMo steel, one piece bolt body • 90° bolt throw angle • Cone-shaped bolt nose ejector - assures smooth feeding • Sliding plate extractor • AICS detachable magazine • Sniper Grey Cerakote® |
| BERGARA BARREL | <ul style="list-style-type: none"> • Made with Cure™ Carbon barrel or 4140 CrMo steel • Sniper Grey Cerakote® • Guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition |
| TRIGGER | <ul style="list-style-type: none"> • Adjustable Bergara Performance Trigger |
| SAFETY MECHANISMS | <ul style="list-style-type: none"> • The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position. |
| STOCK | <ul style="list-style-type: none"> • Bergara's hand-painted camouflage |





SPOTLIGHT

MATTHIAS SCHULTNER // THUMBHOLE

AUSTRIA DEER

“ Whether it’s the mist of early morning, the golden warmth of spring sunshine, or the biting wind and cold atop a rugged mountain, hunting is about embracing nature in its raw beauty. It’s about experiencing the elements, respecting the wildlife, and finding joy in their untamed world. In these moments, the reliability of your equipment becomes paramount. Trusting your gear means being prepared for anything, freeing you to fully immerse yourself in the present. The Thumbhole gives me that unwavering confidence, providing the perfect balance of reliability and comfort to connect deeply with this wild, extraordinary experience. ”



NEW

SIERRA // CARBON

WEIGHT
starting at
2,9 kg (6.3 lbs)

RRP
starting at
1.549 €

ACCURACY
sub-MOA
Guarantee

BARREL

Cure™ Carbon barrel - Stainless Steel bore
51 cm (20")-61 cm (24") Barrel Lengths

FINISH

Sniper Grey Cerakote®

STOCK

Bergara Sporter with Adjustable Comb

MAGAZINE

AICS style detachable



CALIBERS

.223 REM | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | 7 PRC | 7MM REM MAG

.300 PRC | .308 WIN | .300 WIN MAG

SIERRA // STEEL

WEIGHT
starting at
3,2 kg (7 lbs)

RRP
starting at
1.229 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
51 cm (20")- 61 cm (24") Barrel Lengths

FINISH

Sniper Grey Cerakote®


STOCK

Bergara Sporter with Adjustable Comb

MAGAZINE

AICS Style Detachable

LEFT HANDED MODELS AVAILABLE



*NEW CALIBER FOR LEFTIES

CALIBERS

.223 REM | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | 7 PRC | 7MM REM MAG | .30-06 SPRG

.300 PRC | .308 WIN | .300 WIN MAG

THUMBHOLE // CARBON

WEIGHT
starting at
3 kg (6.6 lbs)

RRP
starting at
1.589 €

ACCURACY
sub-MOA
Guarantee

BARREL

Cure™ Carbon barrel - Stainless Steel bore
51 cm (20") - 61 cm (24") barrel lengths

FINISH

Sniper Grey Cerakote®

STOCK

Thumbhole Synthetic Stock with a rubberized grip

MAGAZINE

AICS Style Detachable



THUMBHOLE // STEEL

WEIGHT
starting at
3.3 kg (7.2 lbs)

RRP
starting at
1.259 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
51 cm (20") - 61 cm (24") barrel lengths

FINISH


Sniper Grey Cerakote®

STOCK

Thumbhole Synthetic Stock with a rubberized grip

MAGAZINE

AICS Style Detachable



CALIBERS

*NEW CALIBER

.223 REM | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | 7 PRC | 7MM REM MAG

.308 WIN | .300 WIN MAG | **.300 PRC**

CALIBERS

*NEW CALIBER

.223 REM | .243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | 7 PRC | 7MM REM MAG

.30-06 SPRG | .308 WIN | .300 WIN MAG | **.300 PRC**

HMR // CARBON

WEIGHT
starting at
3.4 kg (7.5 lbs)

RRP
starting at
1.799 €

ACCURACY
sub-MOA
Guarantee

BARREL

Cure™ Carbon barrel - Stainless Steel bore
51 cm (20") - 61 cm (24") barrel lengths

FINISH

Sniper Grey Cerakote®

STOCK

Bergara HMR Molded with Mini-Chassis

MAGAZINE

AICS Style Detachable



HMR // STEEL

WEIGHT
starting at
4.3 kg (9.5 lbs)

RRP
starting at
1.319 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
51 cm (20") - 66 cm (26") Barrel Lengths

FINISH

Sniper Grey Cerakote®

STOCK

Bergara HMR Molded with Mini-Chassis

MAGAZINE

AICS Style Detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | 7 PRC | .308 WIN | .300 WIN MAG

CALIBERS

6.5 CREEDMOOR | 6.5 PRC | 7 PRC | .300 PRC | .308 WIN | .300 WIN MAG



B-14 EXTREME SERIES

CONCEIVED FOR GUARDS IN REMOTE PARTS OF THE WORLD WHO NEED AN AFFORDABLE RIFLE FOR PROTECTION IN EXTREMEST CONDITIONS OF RAIN, SNOW AND SALTY WINDS. THE B14 EXTREME SERIES HAS BECOME A POPULAR CHOICE AMONG HUNTERS AROUND THE WORLD FOR BEING A LIGHT-WEIGHT, SHORT, EASY-TO-MAINTAIN AND EXTREMELY RELIABLE. A TRUE CONFIGURATION THAT SHOULD BE PRESENT IN EVERY GUN SAFE.

FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - One-piece body with two locking lugs
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - Detachable magazine

- BERGARA BARREL**
- Made from AISI 410 stainless steel
 - Graphite Black Cerakote® / Stainless Grey Cerakote®
 - Guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

- STOCK**
- Bergara's hand-painted camouflage




SPOTLIGHT

ÁLVARO PANIAGUA // EXTREME SIERRA

“ SWEDEN - WILDBOAR

On Sweden's southern coast, two hours from Malmö, lies the Wild Boar Island project: a 140-hectare (345-acre) free-range hunting ground with dense oak forests and wild apple trees—truly a boar paradise. Despite unfriendly temperatures, calm waters and a rugged coastline made the setting ideal.

The flat terrain, with gentle hills and Viking-era rocks, hosted the international Aimpoint crew. Signs of wild boar and roe deer were everywhere, but our focus was the resilient Baltic island boar. Hunting alongside moose dogs was a highlight; they held boars in place or pushed them into open areas for precise shots with red-dot sights. A light, short-barreled Bergara Extreme Sierra rifle in .308 Win. proved invaluable. After two intense days, we returned with the prized island boar. ”



SIERRA

WEIGHT

starting at
3 kg (6.6 lbs)

RRP

starting at
1.199 €

ACCURACY

sub-MOA
Guarantee

BARREL

410 stainless steel
46 cm (18") barrel

FINISH

Graphite Black Cerakote®

STOCK

Bergara Sporter with Adjustable Comb

MAGAZINE

AICS Style Detachable



HUNTER

WEIGHT

starting at
2.9 kg (6.4 lbs)

RRP

starting at
1.159 €

ACCURACY

sub-MOA
Guarantee

BARREL

410 stainless steel
46 cm (18") barrel

FINISH


Stainless Grey Cerakote®

STOCK

American style synthetic

MAGAZINE

Bergara Detachable



CALIBERS

.223 REM. | .243 WIN. | .30-06 SPRG | .300 BLK | .308 WIN

CALIBERS

.243 WIN. | 6.5 CREEDMOOR | .30-06 SPRG | .308 WIN | 9.3X62MM



B-14 SERIES

THE B-14 SERIES RIFLES ARE BUILT AT OUR STATE-OF-THE-ART FACILITY IN SPAIN. THANKS TO OUR HIGHLY EFFICIENT MANUFACTURING TECHNIQUES WE CAN BRING A LINE OF EXTREMELY ACCURATE AND RELIABLE RIFLES TO SERIOUS SHOOTERS AT EXTREMELY AFFORDABLE PRICES. VALUE PACKED, AND TOUGH ENOUGH TO WEAR THE BERGARA NAME.

FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - One-piece body with two locking lugs
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - Detachable magazine

- BERGARA BARREL**
- Made from 4140 CrMo steel
 - Graphite Black Cerakote®
 - Guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition

- TRIGGER**
- Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.



SPOTLIGHT

PEDRO AMPUERO // B14 HUNTER

ARGENTINA - RED STAG

“The red stag rut is a magical time, but it's always over too quickly, lasting only a couple of weeks each fall. To extend this experience, I decided to travel to the southern hemisphere during our spring and immerse myself in the rut in Argentina. Red stags, once introduced from Europe, now roam freely in some of the world's most stunning landscapes.

For over a week, we traversed the rugged terrain of the Andes Mountains, covering miles on horseback and on foot, in pursuit of one of the most unforgettable hunts I've ever had. There were no tents, just sleeping under the vast sky, wrapped in horse saddle blankets, living the adventure the old-fashioned way. The real lesson from this trip came from my guide, who taught me to slow down and enjoy the simple tasks. The process of making coffee over a fire, instead of using modern conveniences, reminded me that life is about savoring the moment and the conversations that unfold around the warmth of a campfire.”



NEW

THUMBHOLE

WEIGHT

starting at
3.2 kg (7.1 lbs)

RRP

starting at
1.049 €

ACCURACY

sub-MOA
Guarantee

BARREL

4140 CrMo Steel
56 cm (22") - 61 cm (24") barrel lengths

FINISH

Graphite Black Cerakote®

STOCK

Thumbhole Stock adjustable with LOP spacers

MAGAZINE

AICS Style Detachable



CALIBERS

.243 WIN | 6.5 CREEDMOOR | .270 WIN | 7MM REM MAG | .30-06 SPRING | .308 WIN

.300 WIN MAG | .338 WIN MAG

STOKE

WEIGHT

starting at
2.5 kg (5.5 lbs)

RRP

starting at
899 €

ACCURACY

sub-MOA
Guarantee

BARREL

4140 CrMo Steel
42 cm (16.5") - 51 cm (20") barrel lengths

FINISH

Graphite Black Cerakote®

STOCK

Compact stock with 31.1 cm LOP
Adjustable with LOP spacers

MAGAZINE

AICS Style Detachable



CALIBERS

.223 REM | .22-250 REM | .243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .300 BLK | .308 WIN





HUNTER

WEIGHT
starting at
3.2 kg (7.1 lbs)

RRP
starting at
999 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
56 cm (22") - 61 cm (24") barrel lengths

FINISH

Graphite Black Cerakote®

STOCK

American style synthetic with SoftTouch finish

MAGAZINE

Bergara detachable



CALIBERS
.243 WIN | 6.5 CREEDMOOR | .270 WIN | 7MM REM MAG | .30-06 SPRG | .308 WIN | .300 WIN MAG

TIMBER

WEIGHT

starting at
3.4 kg (7.5 lbs)

RRP

starting at
1.149 €

ACCURACY

sub-MOA
Guarantee

BARREL

4140 CrMo Steel
56 cm (22") - 61 cm (24") barrel lengths

FINISH

Graphite Black Cerakote®



STOCK

Monte Carlo style walnut

MAGAZINE

Bergara detachable
.375 H&H come with hinged floor plate

LEFT HANDED MODELS AVAILABLE



CALIBERS

*NEW CALIBER FOR LEFTIES

.243 WIN | 6.5 CREEDMOOR | .270 WIN | 7MM REM MAG | .30-06 SPRING | .308 WIN

.300 WIN MAG | .338 WIN MAG | .375 H&H

SPORTER

WEIGHT

starting at
3.3 kg (7.3 lbs)

RRP

starting at
959 €

ACCURACY

sub-MOA
Guarantee

BARREL

4140 CrMo Steel
56 cm (22") - 61 cm (24") barrel lengths

FINISH


Graphite Black Cerakote®

STOCK

Monte Carlo style synthetic with SoftTouch finish

MAGAZINE

Bergara detachable



CALIBERS

.243 WIN | 6.5 CREEDMOOR | 6.5X55 SE | .270 WIN | 7MM REM MAG | .30-06 SPRG

.308 WIN | .300 WIN MAG | .338 WIN MAG

HMR // HUNTING & MATCH RIFLE

WEIGHT
starting at
4.4 kg [9.7 lbs]

RRP
starting at
1.189 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
61 cm [24"] - 66 cm [26"] barrel lengths

FINISH

Graphite Black Cerakote®


STOCK

Bergara HMR molded with mini-chassis

MAGAZINE

AICS Style Detachable

LEFT HANDED MODELS AVAILABLE



CALIBERS

.22-250 REM | 6.5 CREEDMOOR | .308 WIN | .300 WIN MAG

BA13 SERIES

FOR THE HUNTER WHO WANTS A HIGH-QUALITY SINGLE SHOT RIFLE, THE BA13 TAKE DOWN IS THE IDEAL CHOICE. OUR BA13 TAKE DOWN RANGE IS A POPULAR CHOICE FOR MOUNTAIN HUNTING. ITS EXCELLENT MANEUVERABILITY AND PRECISION MAKE THE BA13 TD SINGLE SHOOT RIFLE AN OPTIMAL PERFORMANCE FOR A STALKING RIFLE.

FEATURES

BERGARA ACTION



- 100% Ambidextrous stock
- CrushZone® recoil pad
- Equipped with a weaver-style rail
- Reversible cocking spur
- Trigger guard actuated breech system

BERGARA BARREL

- Fluted Bergara Barrel
- Matte Blued
- 4140 CrMo blued steel

SAFETY MECHANISMS

- Compact Synthetic design or Thumbhole stock in black color





SPOTLIGHT

CLAUDIA BREIT // BA13 THUMBHOLE

GERMANY - WILDBOAR

“ Stalking wild boars is one of the most captivating hunts I can imagine. Because then I venture outdoors in the twilight with my BA13TD and move there, sometimes for hours, through cold and darkness, for just one decisive moment. Then time stands still. I hear snorting, branches cracking, and many steps slinking over the leaf-covered ground. Suddenly, one of the smaller animals raises its head and stands broad. It's precisely this moment, the shot, and my skills that matter now. The hiss of the suppressor seals the eternal rest of the piglet. The natural stage is empty within seconds. The BA13 has fulfilled its precise task. ”



TAKEDOWN

WEIGHT

starting at
2.9 kg [6.4 lbs]

RRP

starting at
689 €

BARREL

4140 CrMo Steel
42 cm [16.5"] - 51 cm [20"] barrel lengths

FINISH

Matte blued

STOCK

Thumbhole or Standard Synthetic black


SCOPE MOUNT

Weaver style aluminium rail



CALIBERS

.222 REM. | .223 REM. | .243 WIN | .30-06 SPRG | .308 WIN | .8X57 JRS | .45-70 GOVT | .300 BLK





RIMFIRE SERIES

MANUFACTURING HIGHLY ACCURATE RIMFIRE BARRELS IS NOT NEW TO US. WE'VE BEEN DOING IT ON AN OEM BASIS FOR WELL OVER A DECADE. WE'VE COMBINED THREE DISTINCT PLATFORMS, EACH DESIGNED FOR VERY DIFFERENT NEEDS, TO FORM OUR RIMFIRE SERIES. PLINKERS, HUNTERS, AND EVEN LONG RANGE RIMFIRE COMPETITORS REAP THE BENEFITS, UPGRADES, AND CROSS COMPATIBILITY FOUND IN THESE RIFLES. THE ONE THING THEY ALL HAVE IN COMMON - NOTHING LESS THAN PERFECTION.

FEATURES

PROPRIETARY RIMFIRE ACTIONS

- Specialty rimfire actions
- Match Grade chambers
- Detachable magazines
- Left-Handed Available on B-14R

BERGARA BARREL

- Made from 4140 CrMo Steel
- Matte blued finish
- Carbon barrel options available

TRIGGER

- Bergara Performance Trigger

STOCK

- Bergara HMR stock, Adjustable cheek, Free-floated (B-14R)
- QD Cups and Swivels (BMR Swivel only)





SPOTLIGHT

JED CONKLIN

USA - SQUIRREL



More and more of us care about where our food comes from and how it's produced, but fewer and fewer of us get out and harvest our own. I've been hunting and fishing since I was a kid. I lead a life dedicated to wildlife, the wild places animals live, and the wild food they provide my family. Beginning in early childhood I learned the importance of habitat and wildlife conservation. By studying the ways of an animal and walking in its footsteps, I developed an appreciation and respect for all wildlife. I also became motivated to protect its home, help ensure its waters are clean and work to keep the species robust, knowing that ultimately that animal's body will nourish mine. In our new show Field to Feast, I give chefs the opportunity to close the food loop. To go into the wilderness and harvest something with their own hands. To cook and learn about an animal from birth to death. And ultimately to gain a greater appreciation and respect for what they are cooking.



NEW

BMR X // CARBON

WEIGHT

starting at
2,4 kg (5.3 lbs)

RRP

starting at
779 €

CAPACITY

magazine fed
10 Rounds

BARREL

Carbon Barrel
51 cm (20") barrel lengths

FINISH

Matte blued

STOCK

BMR X Stock

MAGAZINE

Bergara detachable



NEW

BMR X // STEEL

WEIGHT

starting at
2.9 kg (6.3 lbs)

RRP

starting at
749 €

CAPACITY

magazine fed
10 Rounds

BARREL

4140 CrMo Steel
51 cm (20") barrel lengths

FINISH

Matte blued

STOCK

BMR X Stock

MAGAZINE

Bergara detachable



CALIBERS

.17 HMR | .22 LR | .22 WMR

CALIBERS

.17 HMR | .22 LR | .22 WMR

BMR // CARBON

WEIGHT

starting at
2.3 kg (5.4 lbs)

RRP

starting at
639 €

CAPACITY

magazine fed
5-10 Rounds

BARREL

Carbon Barrel
46 cm (18") - 51 cm (20") barrel lengths

FINISH

Matte blued

STOCK

BMR stock

MAGAZINE

Bergara detachable



BMR // STEEL

WEIGHT

starting at
2.5 kg (5.8 lbs)

RRP

starting at
619 €

CAPACITY

magazine fed
5-10 Rounds

BARREL

4140 CrMo Steel
46 cm (18") - 51 cm (20") barrel length

FINISH

Matte blued

STOCK

BMR stock

MAGAZINE

Bergara detachable



CALIBERS

.17 HMR | .22 LR | .22 WMR

CALIBERS

.17 HMR | .22 LR | .22 WMR

B-14R // CARBON

WEIGHT
starting at
3.6 kg (8.1 lbs)

RRP
starting at
1.139 €

CAPACITY
magazine fed
10 Rounds

BARREL

Carbon Barrel
46 cm (18") barrel length

FINISH

Matte blued

STOCK

Bergara HMR stock

MAGAZINE

AICS Style Detachable



CALIBER
.22 LR

B-14R // STEEL

WEIGHT
starting at
4.1 kg (9.2 lbs)

RRP
starting at
1.119 €

CAPACITY
magazine fed
10 Rounds

BARREL

4140 CrMo Steel
46 cm (18") barrel length

FINISH


Matte blued

STOCK

Bergara HMR stock

MAGAZINE

AICS Style Detachable



CALIBER
.22 LR





BARRELED ACTION



WE UNDERSTAND THAT FOR COMPETITIVE SHOOTERS, CUSTOMIZATION IS KEY TO ACHIEVING PEAK PERFORMANCE. THAT'S WHY BERGARA HAS DEVELOPED A COMPLETE LINE OF BARRELED ACTIONS DESIGNED TO ALLOW YOU TO TAILOR YOUR RIFLE TO YOUR SHOOTING STYLE AND THE DEMANDS OF EACH COMPETITION. WITH OUR NEW PREMIER BARRELED ACTION, WE'RE TAKING PRECISION AND CUSTOMIZATION TO A NEW LEVEL, PUTTING THE MOST ADVANCED TECHNOLOGY AT YOUR FINGERTIPS. JOIN THE BERGARA COMMUNITY AND DISCOVER WHY WE'RE THE CHOICE OF CHAMPIONS.

FEATURES

ACTIONS

- REM 700 Footprint
- Bergara Action by platform
- Includes detachable magazine
- Includes competition triggers
- 410 Stainless Steel





SPOTLIGHT

FLORIAN LAROUMAGNE

TEAM BERGARA // FRANCE

“ The Bergara PREMIER barreled action is my preferred choice on the line competing with the world’s best shooters. It’s a must-have for any serious shooter seeking precision and performance in every shot.

The shooting system is machined to ensure tight tolerances, resulting in smooth and reliable cycling. Equipped with the TriggerTech Diamond, it offers a crisp trigger pull—essential for high-stakes competition.

The modular design of the PREMIER barreled action allows me to easily customize the rifle, this ensures I can tailor it to my specific needs.

The Bergara PREMIER barreled action represents an innovative engineering and high-quality craftsmanship, offering shooters the performance edge needed to achieve great accuracy on the world-stage of PRS competition. ”



NEW

BARRELED ACTION // SHOOTING

WEIGHT
starting at
3.6 kg (7.9 lbs)

RRP
starting at
1.119 €

ACCURACY
sub-MOA
Guarantee


BARREL
410 stainless steel
66 cm (26") barrel length
Heavy barrel taper No. 7

MAGAZINE
AICS Style Detachable - 10 rounds

TRIGGER
B14 performance trigger



CALIBERS
6 MM CREEDMOOR | 6.5 CREEDMOOR | .308 WIN



CALIBERS
6 MM CREEDMOOR | 6.5 CREEDMOOR | .308 WIN

BARRELED ACTION // PREMIER

WEIGHT
starting at
3.6 kg (8.2 lbs)

RRP
starting at
1.799 €

ACCURACY
sub-MOA
Guarantee

BARREL
410 stainless steel
66 cm (26") barrel length
Heavy barrel taper No. 7

MAGAZINE
AICS Style Detachable - 10 rounds

TRIGGER
TriggerTech Diamond trigger



BARRELED ACTION

WEIGHT

starting at
3.4 kg (7.5 lbs)

RRP

starting at
969 €

CAPACITY

magazine fed
10 Rounds

BARREL

410 stainless steel
51 cm (20") barrel length
Heavy barrel taper No. 7

MAGAZINE

AICS Style Detachable - 10 rounds

TRIGGER

B14 Bergara trigger

LEFT HANDED MODELS AVAILABLE



CALIBER
22 LR



PREMIER SERIES RIFLES

*All Premier Series Rifles come with TriggerTech Frictionless Release Technology™ and barrel & action in Tactical Grey Cerakote®

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
HMR PRO *Feature a Bergara HMR molded stock with mini-chassis									
BP235-22250	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 kg (9.5 lbs)	AICS COMPATIBLE	5+1
BP235-65HB	6.5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,4 kg (9.8 lbs)	AICS COMPATIBLE	5+1
BP235-65	6.5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 kg (9.5 lbs)	AICS COMPATIBLE	5+1
BP236-65PRC	6.5 PRC	1:8"	66 cm (26")	117 cm (46")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,4 kg (9.7 lbs)	AICS COMPATIBLE	3+1
BP233-308	.308 Win.	1:10"	51 cm (20")	103 cm (40")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,2 kg (9.3 lbs)	AICS COMPATIBLE	5+1
BP236-300	.300 Win. Mag.	1:10"	66 cm (26")	121 cm (47.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,4 kg (9.8 lbs)	AICS COMPATIBLE	5+1
BP236-300PRC	.300 PRC	1:9"	66 cm (26")	121 cm (47.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,4 kg (9.8 lbs)	AICS COMPATIBLE	5+1
ELEVATE *Feature a MDT HNT26 Carbon Chassis Stock									
BP144C-65	6.5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	21.5 mm (No. 6)	5/8-24 UNEF	2,7 kg (5.9 lbs)	AICS COMPATIBLE	5+1
BP145C-65PRC	6.5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	2,8 kg (6.1 lbs)	AICS COMPATIBLE	3+1
BP145C-7PRC	7 PRC	1:8"	61 cm (24")	114 cm (45")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.3 lbs)	AICS COMPATIBLE	5+1
BP145C-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	114 cm (45")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.3 lbs)	AICS COMPATIBLE	5+1
BP143C-308	.308 Win.	1:10"	51 cm (20")	102 cm (40")	21.5 mm (No. 6)	5/8-24 UNEF	2,6 kg (5.7 lbs)	AICS COMPATIBLE	5+1
BP145C-300	.300 Win. Mag.	1:10"	61 cm (24")	114 cm (45")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.3 lbs)	AICS COMPATIBLE	5+1
ELITE *Feature a MDT Elite Stock									
BP156-6C	6mm Creedmoor	1:7,5"	66 cm (26")	115 cm (45")	23.6 mm (No. 7)	5/8-24 UNEF	6,4 kg (14.1 lbs)	AICS COMPATIBLE	10+1
BP156-65	6.5 Creedmoor	1:8"	66 cm (26")	115 cm (45")	23.6 mm (No. 7)	5/8-24 UNEF	6,4 kg (14.1 lbs)	AICS COMPATIBLE	10+1
BP156-308	.308 Win.	1:10"	66 cm (26")	115 cm (45")	23.6 mm (No. 7)	5/8-24 UNEF	6,4 kg (14.1 lbs)	AICS COMPATIBLE	10+1

B-14² SERIES RIFLES

*B-14² Series Rifle come with the Bergara Performance Trigger and barrel & action in Sniper Grey Cerakote®

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
CREST *Feature a 100% carbon fiber mono-coque stock, steel barrel and installed Omni Brake									
BE163-223	.223 Rem.	1:9"	51 cm (20")	104 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	7+1
BE163-65	6.5 Creedmoor	1:8"	51 cm (20")	104 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163-65PRC	6.5 PRC	1:8"	51 cm (20")	104 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	3+1
BE164-270	.270 Win.	1:10"	56 cm (22")	111 cm (43.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BE164-7PRC	7 PRC	1:8"	56 cm (22")	111 cm (43.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BE165-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	116 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BE163-308	.308 Win.	1:10"	51 cm (20")	104 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE165-300	.300 Win. Mag.	1:10"	61 cm (24")	116 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BE165-300PRC	.300 PRC	1:9"	61 cm (24")	116 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
CREST CARBON *Feature a 100% carbon fiber mono-coque stock and Cure Carbon barrel with installed Omni Brake									
BE163C-223	.223 Rem.	1:9"	51 cm (20")	104 cm (40.9")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.3 lbs)	AICS COMPATIBLE	7+1
BE163C-65	6.5 Creedmoor	1:8"	51 cm (20")	104 cm (40.9")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.3 lbs)	AICS COMPATIBLE	5+1
BE165C-65PRC	6.5 PRC	1:8"	61 cm (24")	114 cm (44.9")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	3+1
BE164C-270	.270 Win.	1:10"	56 cm (22")	111 cm (43.7")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6.6 lbs)	AICS COMPATIBLE	5+1
BE164C-7PRC	7 PRC	1:8"	56 cm (22")	111 cm (43.7")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BE165C-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	116 cm (45.7")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163C-308	.308 Win.	1:10"	51 cm (20")	104 cm (40.9")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.3 lbs)	AICS COMPATIBLE	5+1
BE165C-300	.300 Win. Mag.	1:10"	61 cm (24")	116 cm (45.7")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE165C-300PRC	.300 PRC	1:9"	61 cm (24")	116 cm (45.7")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	5+1

B-14 WILDERNESS SERIES® RIFLES

*All B-14 Wilderness Series Rifles feature Bergara barreled actions in Sniper Grey Cerakote® and have stocks with Bergara custom camouflage.

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
SIERRA *Feature a Bergara Sporter with adjustable comb stock and installed Omni Brake									
BW163-223	.223 Rem.	1:9"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	7+1
BW163-65	6.5 Creedmoor	1:8"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW163-65PRC	6.5 PRC	1:8"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	3+1
BW164-270	.270 Win.	1:10"	56 cm (22")	110 cm (43.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW164-7PRC	7 PRC	1:8"	56 cm (22")	110 cm (43.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW165-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	115 cm (45.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW163-308	.308 Win.	1:10"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW164-3006	.30-06 Spring.	1:10"	56 cm (22")	110 cm (43.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW165-300	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW165-300PRC	.300 PRC	1:9"	61 cm (24")	115 cm (45.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
SIERRA LEFT HANDED *Feature a Bergara Sporter with adjustable comb stock and installed Omni Brake									
BW163-65Z	6.5 Creedmoor	1:8"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW163-65PRCZ	6.5 PRC	1:8"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	3+1
BW164-7PRCZ	7 PRC	1:8"	56 cm (22")	110 cm (43.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW163-308Z	.308 Win.	1:10"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW164-3006Z	.30-06 Spring.	1:10"	56 cm (22")	110 cm (43.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW165-300Z	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
SIERRA CARBON *Feature a Bergara Sporter with adjustable comb stock and installed Omni Brake									
BW163C-223	.223 Rem.	1:9"	51 cm (20")	103 cm (40.7")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.3 lbs)	AICS COMPATIBLE	7+1
BW164C-65	6.5 Creedmoor	1:8"	56 cm (22")	108 cm (42.5")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BW163C-65PRC	6.5 PRC	1:8"	61 cm (24")	113 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	3+1
BW164C-270	.270 Win.	1:10"	56 cm (22")	110 cm (43.5")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BW164C-7PRC	7 PRC	1:8"	56 cm (22")	110 cm (43.5")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BW165C-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	115 cm (45.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.3 lbs)	AICS COMPATIBLE	5+1
BW163C-308	.308 Win.	1:10"	51 cm (20")	103 cm (40.7")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	5+1
BW165C-300	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	5+1
BW165C-300PRC	.300 PRC	1:9"	61 cm (24")	115 cm (45.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	3+1
THUMBHOLE *Feature a Thumbhole Synthetic stock, steel barrel and installed Omni Brake									
BW153-223	.223 Rem.	1:9"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	7+1
BW153-243	.243 Win.	1:10"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW153-65	6.5 Creedmoor	1:8"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW153-65PRC	6.5 PRC	1:8"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	3+1
BW154-270	.270 Win.	1:10"	56 cm (22")	110 cm (43.3")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW154-7PRC	7 PRC	1:8"	56 cm (22")	110 cm (43.3")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW155-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	114 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 kg (7.7 lbs)	AICS COMPATIBLE	5+1
BW153-308	.308 Win.	1:10"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW154-3006	.30-06 Spring.	1:10"	56 cm (22")	110 cm (43.3")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW155-300	.300 Win. Mag.	1:10"	61 cm (24")	114 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 kg (7.7 lbs)	AICS COMPATIBLE	5+1
BW155-300PRC	.300 PRC	1:9"	61 cm (24")	114 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 kg (7.7 lbs)	AICS COMPATIBLE	5+1
THUMBHOLE CARBON *Feature a Thumbhole Synthetic stock, Cure carbon barrel and installed Omni Brake									
BW153C-223	.223 Rem.	1:9"	51 cm (20")	103 cm (40.5")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	7+1
BW154C-65	6.5 Creedmoor	1:8"	56 cm (22")	108 cm (42.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW155C-65PRC	6.5 PRC	1:8"	61 cm (24")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 kg (7.4 lbs)	AICS COMPATIBLE	3+1
BW154C-270	.270 Win.	1:10"	56 cm (22")	108 cm (42.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW154C-7PRC	7 PRC	1:8"	56 cm (22")	110 cm (43.3")	21.5 mm (No. 6)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW155C-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW153C-308	.308 Win.	1:10"	51 cm (20")	103 cm (40.5")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BW155C-300	.300 Win. Mag.	1:10"	61 cm (24")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW155C-300PRC	.300 PRC	1:9"	61 cm (24")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 kg (7.4 lbs)	AICS COMPATIBLE	5+1

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
HMR *Feature a Bergara HMR molded stock with mini-chassis, steel barrel and installed Omni Brake									
BW135-65	6.5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BW135-65PRC	6.5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,4 kg (9.7 lbs)	AICS COMPATIBLE	3+1
BW134-7PRC	7 PRC	1:8"	56 cm (22")	109 cm (42.9")	21.5 mm (No. 6)	5/8-24 UNEF	4,3 kg (9.5 lbs)	AICS COMPATIBLE	5+1
BW133-308	.308 Win.	1:10"	51 cm (20")	102 cm (40")	21.5 mm (No. 6)	5/8-24 UNEF	4,3 kg (9.5 lbs)	AICS COMPATIBLE	5+1
BW136-300	.300 Win. Mag.	1:10"	66 cm (26")	117 cm (46.1")	21.5 mm (No. 6)	5/8-24 UNEF	4,5 kg (9.9 lbs)	AICS COMPATIBLE	5+1
BW136-300PRC	.300 PRC	1:9"	66 cm (26")	117 cm (46.1")	21.5 mm (No. 6)	5/8-24 UNEF	4,5 kg (9.9 lbs)	AICS COMPATIBLE	5+1
HMR CARBON *Feature a Bergara HMR molded stock with mini-chassis, Cure carbon barrel and installed Omni Brake									
BW134C-65	6.5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	21.5 mm (No. 6)	5/8-24 UNEF	3,6 kg (7.9 lbs)	AICS COMPATIBLE	5+1
BW135C-65PRC	6.5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3,7 kg (8.2 lbs)	AICS COMPATIBLE	3+1
BW134C-7PRC	7 PRC	1:8"	56 cm (22")	109 cm (43")	21.5 mm (No. 6)	5/8-24 UNEF	3,6 kg (7.9 lbs)	AICS COMPATIBLE	5+1
BW133C-308	.308 Win.	1:10"	51 cm (20")	102 cm (40")	21.5 mm (No. 6)	5/8-24 UNEF	3,4 kg (7.5 lbs)	AICS COMPATIBLE	5+1
BW135C-300	.300 Win. Mag.	1:10"	61 cm (24")	112 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,8 kg (8.3 lbs)	AICS COMPATIBLE	5+1

B-14 EXTREME SERIES RIFLES

*All B-14 Extreme Series Rifles come with the Bergara Performance Trigger and stainless steel barrel

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
EXTREME SIERRA *Feature a Bergara Sporter with adjustable comb stock									
BX132-223	.223 Rem.	1:9"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	7+1
BX132-243	.243 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BX132-300B	.300 BLK	1:8"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	7+1
BX132-308	.308 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BX132-3006	.30-06 Spring.	1:10"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
EXTREME SIERRA *Feature a Bergara Sporter with adjustable comb stock and Open Sights									
BX132A-223	.223 Rem.	1:9"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	7+1
BX132A-243	.243 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BX132A-300B	.300 BLK	1:8"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	7+1
BX132A-308	.308 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BX132A-3006	.30-06 Spring.	1:10"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
EXTREME HUNTER *Feature an American style synthetic stock									
BX212-243	.243 Win.	1:8"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212-65	6.5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212-308	.308 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212-3006	.30-06 Spring.	1:10"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212-9X3	9.3x62mm	1:14"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
EXTREME HUNTER *Feature an American style synthetic stock and Open Sights									
BX212A-243	.243 Win.	1:8"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212A-65	6.5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212A-308	.308 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212A-3006	.30-06 Spring.	1:10"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212A-9X3	9.3x62mm	1:14"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1

B-14 SERIES RIFLES

*All B-14 Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
THUMBHOLE *Feature a Thumbhole stock									
BE184-243	.243 Win.	1:10"	56 cm (22")	108 cm (42.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7.1 lbs)	AICS COMPATIBLE	5+1
BE184-65	6.5 Creedmoor	1:8"	56 cm (22")	108 cm (42.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7.1 lbs)	AICS COMPATIBLE	5+1
BE185-270	.270 Win.	1:10"	61 cm (24")	114 cm (44.9")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.3 lbs)	AICS COMPATIBLE	5+1
BE185-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	114 cm (44.9")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.3 lbs)	AICS COMPATIBLE	5+1
BE184-308	.308 Win.	1:12"	56 cm (22")	108 cm (42.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7.1 lbs)	AICS COMPATIBLE	5+1
BE185-3006	.30-06 Spring.	1:10"	61 cm (24")	114 cm (44.9")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.3 lbs)	AICS COMPATIBLE	5+1
BE185-300	.300 Win. Mag.	1:10"	61 cm (24")	114 cm (44.9")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.3 lbs)	AICS COMPATIBLE	5+1
BE185-338	.338 Win. Mag.	1:10"	61 cm (24")	114 cm (44.9")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.3 lbs)	AICS COMPATIBLE	5+1
STOKE *Compact stock with 31.1 cm LOP									
BE173-22250	.22-250 Rem.	1:9"	51 cm (20")	97 cm (38.4")	17.5 mm (No. 5)	5/8-24 UNEF	2,8 kg (6.1 lbs)	AICS COMPATIBLE	3+1
BE171-223	.223 Rem.	1:9"	42 cm (16,5")	88 cm (34.8")	17.5 mm (No. 5)	5/8-24 UNEF	2,5 kg (5.5 lbs)	AICS COMPATIBLE	7+1
BE173-243	.243 Win.	1:10"	51 cm (20")	97 cm (38.4")	17.5 mm (No. 5)	5/8-24 UNEF	2,8 kg (6.1 lbs)	AICS COMPATIBLE	3+1
BE173-65	6.5 Creedmoor	1:8"	51 cm (20")	97 cm (38.4")	17.5 mm (No. 5)	5/8-24 UNEF	2,8 kg (6.1 lbs)	AICS COMPATIBLE	3+1
BE173-65PRC	6.5 PRC	1:8"	51 cm (20")	97 cm (38.4")	17.5 mm (No. 5)	5/8-24 UNEF	2,8 kg (6.1 lbs)	AICS COMPATIBLE	3+1
BE171-300B	.300 BLK	1:8"	42 cm (16,5")	88 cm (34.8")	17.5 mm (No. 5)	5/8-24 UNEF	2,5 kg (5.5 lbs)	AICS COMPATIBLE	7+1
BE173-308	.308 Win.	1:10"	51 cm (20")	97 cm (38.4")	17.5 mm (No. 5)	5/8-24 UNEF	2,8 kg (6.1 lbs)	AICS COMPATIBLE	3+1
SPORTER *Feature a Montecarlo style synthetic stock									
BE124-243	.243 Win.	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	3+1
BE124-65	6.5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	3+1
BE125-65X	6.5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE125-270	.270 Win.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE125-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	2+1
BE124-308	.308 Win.	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	3+1
BE125-3006	.30-06 Spring.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE125-300	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	2+1
BE125-338	.338 Win. Mag.	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,4 kg (7.5 lbs)	DETACHABLE	2+1
TIMBER *Feature a walnut Monte Carlo style stock									
BE114-243	.243 Win.	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE114-65	6.5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,5 kg (7.5 lbs)	DETACHABLE	3+1
BE115-270	.270 Win.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	3+1
BE115-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	2+1
BE114-308	.308 Win.	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE114-3006	.30-06 Spring.	1:10"	56 cm (22")	110 cm (43")	16.6 mm (No. 4)	M14x1	3,5 kg (7.6 lbs)	DETACHABLE	3+1
BE115-300	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	2+1
BE115-338	.338 Win. Mag.	1:10"	61 cm (24")	115 cm (43")	19.1 mm (No. 5.5)	M15x1	3,5 kg (7.6 lbs)	DETACHABLE	2+1
BE115F-375	.375 H&H	1:12"	61 cm (24")	115 cm (45")	21.5 mm (No. 6)	M18x1	3,7 kg (7.7 lbs)	FLOORPLATE	2+1
TIMBER LEFT HANDED *Feature a walnut Monte Carlo style stock									
BE114-65Z	6.5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE115-7RMZ	7 Rem. Mag.	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	2+1
BE114-308Z	.308 Win.	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE114-3006Z	.30-06 Spring.	1:10"	56 cm (22")	110 cm (43")	16.6 mm (No. 4)	M14x1	3,5 kg (7.6 lbs)	DETACHABLE	3+1
BE115-300Z	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	2+1
BE115-338Z	.338 Win. Mag.	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,5 kg (7.6 lbs)	DETACHABLE	2+1
HUNTER *Feature an American Style synthetic stock									
BE134-243	.243 Win.	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,2 kg (7.1 lbs)	DETACHABLE	3+1
BE134-65	6.5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,2 kg (7.1 lbs)	DETACHABLE	3+1
BE135-270	.270 Win.	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	3+1
BE135-7RM	7 Rem. Mag.	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,2 kg (7.2 lbs)	DETACHABLE	2+1
BE134-308	.308 Win.	1:12"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,2 kg (7.1 lbs)	DETACHABLE	3+1
BE135-3006	.30-06 Spring.	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	3+1
BE135-300	.300 Win. Mag.	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	2+1



Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
HMR *Feature a Bergara HMR molded stock with mini-chassis									
BE145-22250	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE145-65	6.5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-65	6.5 Creedmoor	1:8"	66 cm (26")	116 cm (45.5")	21.5 mm (No. 6)	M18x1	4,4 kg (9.8 lbs)	AICS COMPATIBLE	5+1
BE145-308	.308 Win.	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-300	.300 Win. Mag.	1:10"	66 cm (26")	120 cm (47.5")	19.1 mm (No. 5.5)	M15x1	4,5 kg (9.9 lbs)	AICS COMPATIBLE	5+1
HMR LEFT HANDED *Feature a Bergara HMR molded stock with mini-chassis									
BE145-22250Z	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-65Z	6.5 Creedmoor	1:8"	66 cm (26")	116 cm (45.5")	21.5 mm (No. 6)	M18x1	4,4 kg (9.8 lbs)	AICS COMPATIBLE	5+1
BE145-65Z	6.5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE145-308Z	.308 Win.	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-300Z	.300 Win. Mag.	1:10"	66 cm (26")	120 cm (47.5")	19.1 mm (No. 5.5)	M15x1	4,5 kg (9.9 lbs)	AICS COMPATIBLE	5+1

BA13 TAKEDOWN SERIES RIFLES

*All BA13 TD Series Rifles have 100% ambidextrous stocks

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight
TD STANDARD *Feature a Compact Synthetic design stock and Open Sights							
BA113A-222	.222 Rem.	1:14"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-223	.223 Rem.	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-243	.243 Win.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-308	.308 Win.	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-3006	.30-06 Spring.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 kg (7 lbs)
TD STANDARD *Feature a Compact Synthetic design stock							
BA113-222	.222 Rem.	1:14"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113-223	.223 Rem.	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113-243	.243 Win.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA111-300B	.300 BLK	1:8"	42 cm (16,5")	80 cm (31.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	2,9 kg (6.4 lbs)
BA112-300B	.300 BLK	1:8"	46 cm (18")	84 cm (33")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.8 lbs)
BA111-308	.308 Win.	1:8"	42 cm (16,5")	80 cm (31.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	2,9 kg (6.4 lbs)
BA112-308	.308 Win.	1:8"	46 cm (18")	84 cm (33")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.8 lbs)
BA113-3006	.30-06 Spring.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 kg (7 lbs)
TD THUMBHOLE *Feature a Take Down Thumbhole stock							
BA123-222	.222 Rem.	1:14"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA123-223	.223 Rem.	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA123-243	.243 Win.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA123-3006	.30-06 Spring.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA121-300B	.300 BLK	1:8"	42 cm (16,5")	80 cm (31.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	2,9 kg (6.4 lbs)
BA122-300B	.300 BLK	1:8"	46 cm (18")	84 cm (33")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA121-308	.308 Win.	1:8"	42 cm (16,5")	80 cm (31.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	2,9 kg (6.4 lbs)
BA123-308	.308 Win.	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA122-308	.308 Win.	1:8"	46 cm (18")	84 cm (33")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.8 lbs)
BA123-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA123-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 kg (7 lbs)


RIMFIRE SERIES RIFLES

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
B14-R TRAINER CARBON *Feature an HMR stock and carbon fiber tube									
BR142-22LR	.22 LR	1:16"	46 cm (18")	96 cm (38")	23.2 mm	1/2-28 UNEF	3,6 kg (8.1 lbs)	DETACHABLE	10
B14-R TRAINER STEEL *Feature an HMR stock									
BR132-22LR	.22 LR	1:16"	46 cm (18")	96 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 kg (9.2 lbs)	DETACHABLE	10
BMR CARBON *Feature a BMR stock and carbon fiber tube									
BR163-17HMR	.17 HMR	1:9"	51 cm (20")	97 cm (38")	23.2 mm	1/2-28 UNEF	2,4 kg (5.4 lbs)	DETACHABLE	5 AND 10
BR162-22LR	.22 LR	1:16"	46 cm (18")	92 cm (36")	23.2 mm	1/2-28 UNEF	2,3 kg (5 lbs)	DETACHABLE	5 AND 10
BR163-22W	.22 WMR	1:16"	51 cm (20")	97 cm (38")	23.2 mm	1/2-28 UNEF	2,4 kg (5.4 lbs)	DETACHABLE	5 AND 10
BMR STEEL *Feature a BMR stock									
BR153-17HMR	.17 HMR	1:9"	51 cm (20")	97 cm (38")	16.6 mm (No. 4)	1/2-28 UNEF	2,6 kg (5.8 lbs)	DETACHABLE	5 AND 10
BR152-22LR	.22 LR	1:16"	46 cm (18")	92 cm (36")	16.6 mm (No. 4)	1/2-28 UNEF	2,5 kg (5.5 lbs)	DETACHABLE	5 AND 10
BR153-22W	.22 WMR	1:16"	51 cm (20")	97 cm (38")	16.6 mm (No. 4)	1/2-28 UNEF	2,6 kg (5.8 lbs)	DETACHABLE	5 AND 10
BMR X CARBON *Feature a BMR X stock and carbon fiber tube									
BR173-17HMR	.17 HMR	1:9"	51 cm (20")	88 cm (35")	23.2 mm	1/2-28 UNEF	2,4 kg (5.4 lbs)	DETACHABLE	10
BR173-22LR	.22 LR	1:16"	51 cm (20")	88 cm (35")	23.2 mm	1/2-28 UNEF	2,4 kg (5.4 lbs)	DETACHABLE	10
BR173-22W	.22 WMR	1:16"	51 cm (20")	88 cm (35")	23.2 mm	1/2-28 UNEF	2,4 kg (5.4 lbs)	DETACHABLE	10
BMR X STEEL *Feature a BMR X stock									
BR183-17HMR	.17 HMR	1:9"	51 cm (20")	88 cm (35")	21.5 mm (No. 6)	1/2-28 UNEF	2,9 kg (6.3 lbs)	DETACHABLE	10
BR183-22LR	.22 LR	1:16"	51 cm (20")	88 cm (35")	21.5 mm (No. 6)	1/2-28 UNEF	2,9 kg (6.3 lbs)	DETACHABLE	10
BR183-22W	.22 WMR	1:16"	51 cm (20")	88 cm (35")	21.5 mm (No. 6)	1/2-28 UNEF	2,9 kg (6.3 lbs)	DETACHABLE	10

BARRELED ACTION

*Rem700 footprint

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
BARRELED ACTION *Includes an AICS style magazine									
BRA176S-6C	6mm Creedmoor	1:7,5"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 kg (7.9 lbs)	AICS DETACHABLE	10
BRA176S-65	6.5 Creedmoor	1:8"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 kg (7.9 lbs)	AICS DETACHABLE	10
BRA176S-308	.308 Win.	1:11"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 kg (7.9 lbs)	AICS DETACHABLE	10
PREMIER BARRELED ACTION *Includes a Diamond TriggerTech trigger and AICS style magazine									
BPRA176S-6C	6mm Creedmoor	1:7,5"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,7 kg (8.2 lbs)	AICS DETACHABLE	10
BPRA176S-65	6.5 Creedmoor	1:8"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,7 kg (8.2 lbs)	AICS DETACHABLE	10
BPRA176S-308	.308 Win.	1:11"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,7 kg (8.2 lbs)	AICS DETACHABLE	10
RIMFIRE BARRELED ACTION *Includes an AICS style magazine									
BRA173S-22LR	.22 LR	1:16"	51 cm (20")	1/2-28 UNEF	23.6 mm (No. 7)	1/2-28 UNEF	3,4 kg (7.5 lbs)	AICS DETACHABLE	10
BRA173S-22LRZ	.22 LR	1:16"	51 cm (20")	1/2-28 UNEF	23.6 mm (No. 7)	1/2-28 UNEF	3,4 kg (7.5 lbs)	AICS DETACHABLE	10





WE'VE GOT THE GEAR

VISIT WWW.BPIOUTDOORSHOP.COM FOR YOUR BERGARA ACCESORIES



WARRANTY

Bergara rifles are warranted to be free from manufacturers defects for the life of the gun. With our complete inventory of replacement parts, our experts can repair all Bergara rifles, bringing them back to life.

CUSTOMER SERVICE

If you need a spotter, feel free to call us for backup. We'll get you dialed in. Bergara has a highly trained team of gunsmiths and Customer Service Reps to serve your needs.

*DIKAR S. COOP.
Garagartza 39
20500 Arrasate, Gipuzkoa, Spain
info@bergararifles.com*

www.bergara.online





WWW.BERGARA.ONLINE